



“*Datura (Datura Innoxia* Mill.)” A Precious Toxic Plant - A Review

Doshi K. A.^{1*}, Patel M. H.², Bhoomi Kalaria.³

1^{*}Lecturer, Department of Dravyaguna, IIAPS, Gujarat Ayurved University, Jamnagar, Gujarat, India.

2 Lecturer, Department of Dravyaguna, IIAPS, Gujarat Ayurved University, Jamnagar, Gujarat, India.

3 Student of IIAPS, Gujarat Ayurved University, Jamnagar, Gujarat, India.

Address for correspondence

Dr. Krunal A. Doshi,

Dept. of Dravyaguna,

Indian Institute of Ayurvedic Pharmaceutical Sciences (IIAPS),

Gujarat Ayurved University (GAU),

AK Jamal Building, Gurunanak Road, Jamnagar-361008

E-mail id: krunaldoshi760@gmail.com

Abstract

Datura (Datura innoxia Mill.) belongs to family Solanaceae describe in *Ayurveda* for the various types of treatments to cure disease conditions in Classical texts. As a named the people knows *Datura* a very dangerous toxic plant. But, in presented review article, an attempt has been made to compile critically its informations related to therapeutic uses of dhatura from more than three samhitas, nine samgraha granthas, seven nighantus and other published texts. It is observed that root, root bark, leaves, seed, oil of *Datura* are used as an ingredient in 521 formulations, which are effective in more than 50 disease conditions. The main indications include *vatavyadhi* (diseases of joints), *aamavata* (rheumatoid artharitis), *vrana* (wound), *agnimandya* (loss of appetite), *jvara* (fever), *grahani* (Irritable bowel syndrome), *shiroroga* (disease of head), *Shotha* (inflammation), *hikka* (hiccough), *kushtha* (skin disease), *visarpa* (erysipelas), *arsha* (piles) etc. Different parts of Dhatura are used in about 18 dosage forms; such as *svarasa* (juice), *kvatha* (decoction), *lepa* (paste), *varti* (suppository), *avaleha* (semi-solid preparations), *taila* (oil), *rasa* (mineral preparation), *vati* (pills), *modaka* (solid dosage form), *ghrita* (fat soluble preparations), *churna* (powder), *dhumrapaan* (smoke inhalation), etc.

Key words: *Ayurveda, Datura, Datura innoxia* Mill., therapeutic importance, toxic plant.

INTRODUCTION

The medical science of India incorporates very rich material medica making comprehensive and multipurpose uses of drugs obtained from all the three origins viz. plant, mineral and animal, where maximum drugs are of plant origin¹. Dhatura, one of the classical drugs of plant origin, botanically identified as *Datura innoxia* Mill., has been used by the Vaidyas of *Ayurveda*, for the management of different disease conditions².

Datura (Datura innoxia Mill.) is found common in districts of central and South India, especially in temperate and warmer regions of India. Whole plant densely clothed with grayish tomentum. Stem erect 3-4 ft. high, stout herbaceous³.

Texts of *Ayurveda*, systematically recorded the varieties, synonyms, part used, pharmacological properties, actions and indications of *Datura* in the respective texts, in their style of presentation. Its use, as an ingredient of compound formulations is recorded in samhitas (treatise) as well as in samgraha granthas (compendia of *Ayurveda*).

On the other hand the local people knows the dhatura as weed, which is easily grows near road side area and they having fear to touch this plant. They are having the image of *Dhatura* as a highly toxic plant. But the Ayurveda provides the precious uses of *Dhatura*.

On review it is observed that no single hand information is available regarding the uses and indications of *Dhatura* as delineated in classical texts of Ayurveda. Hence, in this article, an attempt has been made to present the same.

MATERIAL AND METHODS

Various available *samhitas* (classical texts), *nighantus* (lexicons), *samgraha granthas* (compendia) and some other texts related to *prayoga* were referred; the synonyms, properties, actions and various formulations with their *adhikara* (prime indication) were compiled, critically analyzed and arranged in a systematic manner.

RESULTS AND DISCUSSION

Ayurvedic lexicon describes the plant drug through *paryaya* (synonyms). On the basis of reported synonyms, it is observed that *Dhatura* is of three varieties i.e. *Sweta* (white), *Raja* & *Krishna* (Black). *Sweta dhatura*, *Raja dhatura* & *Krishnadhatura* were attributed 31, 7 & 7 synonyms respectively, for describing its morphological and pharmacological characters, in various texts. (Table 1, 2 & 3)

Synonyms attributed to *Sweta Dhatura* indicate that it is small herb. Its seeds are highly narcotic. For describing its morphological and pharmacological characters in various texts.

Table 1: Synonyms attributed to *Sweta Dhatura* in different *Nighantus* (lexicons) and their probable interpretations

	Synonyms ⁴⁻⁹	Probable interpretation ¹⁰⁻¹²
Morphology		
Flowers	<i>Dhatur</i> <i>Matulaputraka</i> <i>Shivpriya</i> <i>Shivashekhar</i> <i>Shave</i> <i>Devata</i> <i>Harivallabha</i> <i>Kalah pushpa</i>	A herb with funnel shaped flower. Tis flower is like its son, It is liked by God Shiva Favorite of lord shiva. It is believed to be good It is liked by god Flower supposes to be areason for fight.
Disease/roga	<i>Dhatura</i> <i>Dhutur</i> <i>Kharjughna</i>	It depletes dhatus. Deplete dhatus. On external application it removes itching.
Seeds	<i>Madan /madank</i> <i>Unmatta/unmattak</i> <i>Mahamohi</i> <i>Matulak</i> <i>Matula</i>	Paralises the functions of all the parts of Body. Causes severe hallucinations. Which are highly narcotic.
Fruits	<i>Kantak phala</i>	Fruits are spinous.
Others	<i>Kitav</i>	People who consume it will behave idiotic,

Animal	<i>Shath</i>	wish for dominion
	<i>Taral</i>	
	<i>Dhustur</i>	
	<i>Turi</i>	
	<i>Kanakhaya</i>	The flowers have the shape of trumpet.
	<i>Viyahala</i>	All the synonyms of gold is used for this plant.
	<i>Kanak</i>	They are fatal to some animals.
	<i>Khal</i>	Has all the name of Gold
	<i>Mohan</i>	
	<i>Shyaam</i>	Because of its Black flower.
	<i>Kalmamat</i>	

Table 2: **Synonyms attributed to *Raja Dhatura* in different *Nighantus* (lexicons) and their probable interpretations**

	Synonyms⁴⁻⁹	Probabal interpretation¹⁰⁻¹²
Morphology		
	<i>Rajadhaturak</i> <i>Rajdhatur</i> <i>Mahashath</i>	Due to bigger in size
	<i>Nishtraenic</i> <i>Bhrant</i> <i>Rajswaran</i> <i>Pushpak</i>	

Table 3: **Synonyms attributed to *Krishna Dhatura* in different *Nighantus* (lexicons) and their probable interpretations**

	Synonyms⁴⁻⁹	Probabal interpretation¹⁰⁻¹²
Morphology		
	<i>Krushna dhaturak</i> <i>Shiddha</i> <i>Kanak sachiv</i> <i>Shiva</i>	Because of its black colour. Favorite of Lord shiva.
	<i>Krushna pushpa</i> <i>Visharati</i> <i>Krur dhurt</i>	Because of the colour of flower.

Table 4: **Pharmacological properties of both the *Dhatura* by different *nighantus* ¹³⁻¹⁹**

<i>Rasa</i>	<i>Guna</i>	<i>Verya</i>	<i>Vipak</i>	<i>Dosha karma</i>	<i>Karma</i>	<i>Rogaghnata</i>
<i>Katu Kashaya, Madhura,</i>	<i>Guru</i>	<i>Ushna</i>	<i>Katu</i>	<i>Kapha vata shamak</i>	<i>Madakari, varnya, jwaraghna, Kandughna,</i>	<i>Jwara, shoola, visha, swasa, krumi vikara,</i>

Tikta					Krumighna, vishaghna, Vranaghna, Mutrakruchcha	Dipan,	kushtha, agnimandya, Unnmada, vrana, Mutra vikar.
-------	--	--	--	--	---	--------	--

PHARMACOLOGICAL PROPERTIES OF DHATURA

Datura has attributed with katu, kashay, madhura, tikta rasa, katu vipak and ushna virya, guru guna. It specifies kapha-vata dosha (Table 4).

It is being recommended to alleviate various disease conditions like *shula* (pain), *jwara* (fever), *gulma* (abdominal lump), *arsha* (piles), *krimi* (warms), *mutravikara* (urine disorder), *vrana* (wound), *agnimandya* (loss of appetite), *kushtha* (skin disease), *visha* (poison), *swasa* (asthama), *unnmada* (mental disorder).

DHATURA IN CLASSICAL TEXTS

Samgraha granthas (different pharmacopoeia) of ayurveda reports about 521 formulations having *Datura* as an ingredient (Table 5). It is used both internally (423) as well as externally (96) and 2 formulations are used internally and externally, in various dosage forms such as *svarasa* (expressed juice), *kvatha* (decoction), *churna* (powder), *taila* (oil), *ghrut* (ghee), *avaleha* (confectionaries), *dhumrapaan* (smoke inhalation), *lepa* (paste), *varti* (suppositories), *rasa* (mercurial preparation), *vati* (tablet), *modak* (solid dosage form) (Table 5).

Table 5: Formulations of *Datura* as stated in classical texts of Ayurveda ²⁰⁻³²

Sr. No.	Formulations	I/ E	Dosage form	Adhikar	Part used	Reference
1.	<i>Arkadi tailam</i>	E	<i>Taila</i>	<i>Gradhrasi</i>	Leaves juice	BBR-1
2.	<i>Agasti sutaraja -2</i>	I	<i>Rasa</i>	<i>Grahani</i>	Seed	BBR-1
3.	<i>Agnimukho rasa -1</i>	I	<i>Vati</i>	<i>Shoola</i>	Leaves	BBR-1
4.	<i>Atisaremsinho rasa</i>	I	<i>Rasa</i>	<i>Atisara</i>	Leaves juice	BBR-1
5.	<i>Alpajwarankusho rasa</i>	I	<i>Rasa</i>	<i>Jwara</i>	Seed	BBR-1
6.	<i>Ananda rasa</i>	I	<i>Vati</i>	<i>Atisara</i>	Seed	BBR-1
7.	<i>Unnmata tailam</i>	E	<i>Taila</i>	<i>Kustha</i>	Seed	BBR-1
8.	<i>Udayabhaskaro rasa -3</i>	I	<i>Rasa</i>	<i>Shoola</i>	Leaves juice	BBR-1
9.	<i>Udayadityo rasa</i>	E	<i>Lepa</i>	<i>Kushtha</i>	Seed	BBR-1
10.	<i>Udvalana rasa</i>	E	<i>Rasa</i>	<i>Jalodara</i>	Fruit	BBR-1
11.	<i>Unnmata bhairava rasa</i>	I	<i>Vati</i>	<i>Kasa</i>	Seed	BBR-1
12.	<i>Unnamada gaja kesari rasa</i>	I	<i>Avaleha</i>	<i>Unnmada</i>	Seed	BBR-1
13.	<i>Unnmada gajankush</i>	I	<i>Vati</i>	<i>Unnmada</i>	Seed	BBR-1
14.	<i>Unnmadahara yoga</i>	I	<i>Vati</i>	<i>Unnmada</i>	Seed	BBR-1
15.	<i>Ekanga veer rasa</i>	I	<i>Rasa</i>	<i>Vata vyadhi</i>	Seed	BBR-1
16.	<i>Kalpalata vati</i>	I	<i>Vati</i>	<i>Grahani</i>	Seed	BBR-1
17.	<i>Kamadeva vati</i>	I	<i>Vati</i>	<i>Vajikaran</i>	Seed	BBR-1
18.	<i>Kanaka tailam -1</i>	E	<i>Taila</i>	<i>Shiro roga</i>	Seed	BBR-1
19.	<i>Kandaryasaar tailam</i>	E	<i>Taila</i>	<i>Kushtha</i>	Seed	BBR-1
20.	<i>Kasisadi tailam</i>	E	<i>Taila</i>	<i>Masa</i>	Seed	BBR-1
21.	<i>Kumara tailam</i>	E	<i>Taila</i>	<i>Shiro roga</i>	Leaves juice	BBR-1

22.	<i>Kanakasava</i>	I	<i>Aasava</i>	<i>Hikka</i>	Root bark	BBR-1
23.	<i>Kanakadi lepa</i>	E	<i>Lepa</i>	<i>Visarpa</i>	Seed	BBR-1
24.	<i>Kanak sundaro rasa-1</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-1
25.	<i>Kanak sundaro rasa-2</i>	I	<i>Rasa</i>	<i>Jwara</i>	Seed	BBR-1
26.	<i>Kapha kuthara rasa</i>	I	<i>Rasa</i>	<i>Jwara</i>	Leaves juice	BBR-1
27.	<i>Kapuradho rasa</i>	I	<i>Rasa</i>	<i>Prameha</i>	Seed	BBR-1
28.	<i>Kamadeva-2</i>	I	<i>Vati</i>	<i>Vajikaran</i>	Fruit	BBR-1
29.	<i>kamagnisandipan</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Seed	BBR-1
30.	<i>Kaminimada vidhuno rasa</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Seed oil	BBR-1
31.	<i>Kalavidhvamsano rasa</i>	I	<i>rasha</i>	<i>Pandu</i>	Fruit & leaves juice	BBR-1
32.	<i>Kalagnibhairavo rasa</i>	I	<i>Vati</i>	<i>Sannipata</i>	Seed	BBR-1
33.	<i>Kalantako rasa-2</i>	I	<i>Rasa</i>	<i>Kshaya</i>	Seed	BBR-1
34.	<i>Kalari rasa</i>	I	<i>Rasa</i>	<i>Sannipat</i>	Seed	BBR-1
35.	<i>Kaleshvaro rasa</i>	I	<i>Rasa</i>	<i>Swasa</i>	Seed	BBR-1
36.	<i>Kushthebhkesari rasa</i>	I	<i>Rasa</i>	<i>Galat kushth</i>	Leaves juice	BBR-1
37.	<i>Gokshura paka</i>	I	<i>Modak</i>	<i>Prameha</i>	Seed	BBR-2
38.	<i>Gandhak tailam</i>	I	<i>Taila</i>	<i>Karna roga</i>	Leaves juice	BBR-2, YR
39.	<i>Gandhak tailam</i>	I	<i>Taila</i>	<i>Karna roga</i>	Leaves juice	BBR-2
40.	<i>Gunjagarbha rasayan</i>	I	<i>Vati</i>	<i>Urustambh</i>	Leaves juice	BBR-2
41.	<i>Grahanika madakaran sinh</i>	I	<i>Vati</i>	<i>Sangrahani</i>	Leaves juice	BBR-2
42.	<i>Grahanikapat rasa</i>	I	<i>Vati</i>	<i>Grahanani</i>	Seed	BBR-2
43.	<i>Grahanikapat rasa</i>	I	<i>Churna</i>	<i>Grahanani</i>	Seed	BBR-2
44.	<i>Grahanikapat rasa(bruhad)</i>	I	<i>Rasa</i>	<i>Sangrahani</i>	Leaves juice	BBR-2
45.	<i>Grahani gaja kesari rasa</i>	I	<i>Vati</i>	<i>Grahanani</i>	Seed	BBR-2
46.	<i>Grahani gajapanchanan rasa</i>	I	<i>Rasa</i>	<i>Grahanani</i>	Leaves juice	BBR-2
47.	<i>Chakrika rasa</i>	I	<i>Rasa</i>	<i>Sannipat</i>	Seed	BBR-2
48.	<i>Chintamani rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-2
49.	<i>Jayamangalo rasa-1</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BBR-2
50.	<i>Jatiphala rasa</i>	I	<i>Vati</i>	<i>Atisara</i>	Seed	BBR-2
51.	<i>jivananandabhrma</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-2
52.	<i>Jwarakrantano rasa</i>	I	<i>Rasa</i>	<i>Jwara</i>	Seed	BBR-2
53.	<i>Jwaradhvantadivakaro rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BBR-2
54.	<i>Jwara bhairava rasa-2</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-2
55.	<i>Jwaramatanga kesari rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-2
56.	<i>Jwarankush rasa-2</i>	I	<i>Rasa</i>	<i>Jwara</i>	Leaves	BBR-2
57.	<i>Jwarankush rasa-3</i>	I	<i>Rasa</i>	<i>Jwara</i>	Leaves juices	BBR-2
58.	<i>Jwarankush rasa-4</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-2
59.	<i>Jwarankusha rasa-8</i>	I	<i>Rasa</i>	<i>Jwara</i>	Seed	BBR-2
60.	<i>Jwarantako rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-2
61.	<i>Damareshvara bhrama</i>	I	<i>Vati</i>	<i>Hikka</i>	Seed	BBR-2
62.	<i>Taptaraja tailam</i>	I	<i>Taila</i>	<i>Shiroroga</i>	Seed	BBR-2
63.	<i>Talakeshvara rasa-9</i>	I	<i>Rasa</i>	<i>Kushtha</i>	Seed	BBR-2
64.	<i>Talakeshvaro rasa-5</i>	I	<i>Rasa</i>	<i>Kushtha</i>	Seed	BBR-2
65.	<i>Talakeshvaro rasa-8</i>	I	<i>Rasa</i>	<i>Kushtha</i>	<i>Panchang</i>	BBR-2

66.	<i>Dashamula tailam-1</i>	I	<i>Taila</i>	<i>Shiro roga</i>	<i>panchang</i>	BBR-3
67.	<i>Dashamula tailam-6</i>	I	<i>Taila</i>	<i>Shiro roga</i>	Seed	BBR-3
68.	<i>Dashamulasava-1</i>	I	<i>Aasava</i>	<i>Kshaya</i>	Fruit	BBR-3
69.	<i>Davyardi vatika</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BBR-3
70.	<i>Dugdhavati-1</i>	I	<i>Vati</i>	<i>Shotha</i>	Leaves juice	BBR-3
71.	<i>Dugdhavati-3</i>	I	<i>Vati</i>	<i>Shotha</i>	Seed	BBR-3
72.	<i>Devabhuti rasa</i>	I	<i>Rasa</i>	<i>Stri roga</i>	Seed	BBR-3
73.	<i>Dhaturadi churnam</i>	I	<i>Churna</i>	<i>Arsha</i>	Fruit	BBR-3
74.	<i>Dhatur tailam</i>	E	<i>Taila</i>	<i>Vipadika</i>	Seed	BBR-3
75.	<i>Dhaturadham tailam</i>	E	<i>Taila</i>	<i>Vata rakta</i>	Seed	BBR-3
76.	<i>Ghatakyadi tailam</i>	E	<i>Taila</i>	<i>Stri roga</i>	Seed	BBR-3
77.	<i>Dhustur tailam</i>	I/ E	<i>Taila</i>	<i>Shiro roga</i>	<i>Panchang</i>	BBR-3
78.	<i>Dhustur tailam-1</i>	I	<i>Taila</i>	<i>Karna roga</i>	Leaves juice	BBR-3
79.	<i>Dhatur patradi lepa</i>	E	<i>Lepa</i>	<i>Vrana</i>	Leaves, root	BBR-3
80.	<i>Dhaturadi lepa</i>	E	<i>Lepa</i>	<i>Slipad</i>	Leaves	BBR-3
81.	<i>Datura mula yoga</i>	E	<i>Root</i>	<i>Stri roga</i>	Root	BBR-3
82.	<i>Nirgundi tailam-2</i>	E	<i>Taila</i>	<i>Vata vyadhi</i>	Leaves juice, seed	BBR-3
83.	<i>Nishadham tailam</i>	I	<i>Taila</i>	<i>Karna roga</i>	Leaves juice	BBR-3
84.	<i>Nirgundiadi prayoga</i>	E	<i>Churna</i>	<i>Rasayan</i>	Seed	BBR-3
85.	<i>Nagrjuna churnam</i>	I	<i>Churna</i>	<i>Bala roga</i>	Seed	BBR-3
86.	<i>Narayan jwarankush rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-3
87.	<i>Narimatgajankush rasa</i>	I	<i>Vati</i>	<i>Prameha</i>	Leaves juice	BBR-3
88.	<i>Puga paka (bruhat)</i>	I	<i>Churna</i>	<i>Vrushya</i>	Seed	BBR-3
89.	<i>Parad lepa</i>	E	<i>Lepa</i>	<i>Shiro roga</i>	Leaves juice	BBR-3
90.	<i>Panchabano rasa</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Leaves juice	BBR-3
91.	<i>Panchayak</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Seed	BBR-3
92.	<i>Paniya vatika-1</i>	I	<i>Vati</i>	<i>Jawara</i>	Seed	BBR-3
93.	<i>Parad gutika</i>	I	<i>Vati</i>	<i>Virya stambhan</i>	Seed oil	BBR-3
94.	<i>Paradadiyaga</i>	I	<i>Vati</i>	<i>Virya stambhan</i>	Seed	BBR-3
95.	<i>Paradadi vati-1</i>	I	<i>Vati</i>	<i>Grahani</i>	Seed	BBR-3
96.	<i>Parijaat tankanam</i>	I	<i>Rasa</i>	<i>Svarabheda</i>	Leaves juice	BBR-3
97.	<i>Pasupato rasa</i>	I	<i>Rasa</i>	<i>Ajirna</i>	Seed	BBR-3
98.	<i>Piyush valli rasa</i>	I	<i>Vati</i>	<i>Grahani</i>	Seed	BBR-3
99.	<i>Pushpadhanva rasa-2</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Seed	BBR-3
100.	<i>Prataplankeshvar rasa-2</i>	I	<i>Rasa</i>	<i>Jwara</i>	Leaves juice	BBR-3
101.	<i>Pramadanando rasa-2</i>	I	<i>Rasa</i>	<i>Prameha</i>	Seed	BBR-3
102.	<i>Premadebhankush rasa</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Seed oil	BBR-3
103.	<i>Pramehankush rasa</i>	I	<i>Rasa</i>	<i>Prameha</i>	Seed	BBR-3
104.	<i>Prananath rasa-2</i>	I	<i>Rasa</i>	<i>Rajayakshma</i>	Leaves juice	BBR-3
105.	<i>Pranejwara rasa-2(laghu)</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-3
106.	<i>Bilvadi sweda</i>	I	<i>Swedan kriya/ baspa</i>	<i>Karnashula</i>	Seed	BBR-3
107.	<i>Brahma vati-1</i>	I	<i>Vati</i>	<i>Sannipat</i>	Leaves juice	BBR-3
108.	<i>Bhasmark churna</i>	I	<i>Churna</i>	<i>Vata roga</i>	Seed	BBR-3
109.	<i>Bhanu tailam</i>	E	<i>Taila</i>	<i>Kushith</i>	Leaves juice	BBR-3

110.	<i>Bhaktotar churnam</i>	I	<i>Churna</i>	<i>Vruddhi roga</i>	Seed	BBR-3
111.	<i>bhisbharasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-3
112.	<i>Bheem rudra rasa-2</i>	I	<i>Vati</i>	<i>Visha hara</i>	Root	BBR-3
113.	<i>Bhutankusha rasa-1</i>	I	<i>Vati</i>	<i>Kasa</i>	Seed	BBR-3
114.	<i>Bhudaro rasa</i>	I	<i>Avaleha</i>	<i>Shoola</i>	Seed	BBR-3
115.	<i>Matula phala yoga</i>	I	<i>Rasa</i>	<i>Visha</i>	Fruit	BBR-4
116.	<i>Marichadham ghritam-2</i>	I	<i>Ghrita</i>	<i>Gulma</i>	Seed	BBR-4
117.	<i>Mahakanak tailam</i>	I	<i>Taila</i>	<i>Sannipat</i>	Leaves juice	BBR-4
118.	<i>Madhvasava-2</i>	I	<i>Aasava</i>	<i>Kushth</i>	Seed	BBR-4
119.	<i>Mahadrakshasava-1</i>	I	<i>Aasava</i>	<i>Vajikaran</i>	Seed	BBR-4
120.	<i>Mrutasanjivani sura-1</i>	I	<i>Rasa</i>	<i>Jwara</i>	Root	BBR-4
121.	<i>Maniparpati rasa</i>	I	<i>Rasa</i>	<i>Nasa roga</i>	Leaves juice	BBR-4
122.	<i>Mahakameshvara</i>	I	<i>Churna</i>	<i>Vajikaran</i>	Seed	BBR-4
123.	<i>Mahakamesvaro modak</i>	I	<i>Modak</i>	<i>Vajikaran</i>	Seed	BBR-4
124.	<i>Mahakalesvaro rasa</i>	I	<i>Vati</i>	<i>Kasa</i>	Seed	BBR-4
125.	<i>Mahajwarankush-5</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-4
126.	<i>Mahabhra vati-2</i>	I	<i>Vati</i>	<i>Grahanī</i>	Seed	BBR-4
127.	<i>Mahamrutyunjaya loham</i>	I	<i>Vati</i>	<i>Pliha</i>	Seed	BBR-4
128.	<i>Mahalaksmi vilas rasa-1</i>	I	<i>Vati</i>	<i>Kapha</i>	Seed	BBR-4
129.	<i>Mahalakshmi vialas rasa-2</i>	I	<i>Vati</i>	<i>Shiro roga</i>	Seed	BBR-4
130.	<i>Mahashleshma kalanal rasa</i>	I	<i>Vati</i>	<i>Sannipat jwara</i>	Seed	BBR-4
131.	<i>Maninimana mardan rasa</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Seed oil	BBR-4
132.	<i>Mudraghotako rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Root	BBR-4
133.	<i>Mrutkandaryajivan rasa</i>	I	<i>Avaleha</i>	<i>Vajikaran</i>	Seed	BBR-4
134.	<i>Mrutpranadayi rasa</i>	I	<i>Rasa</i>	<i>Sarva jwara</i>	Seed	BBR-4
135.	<i>Mrutasanjivani rasa-2</i>	I	<i>rasa</i>	<i>Atisar</i>	Leaves juice	BBR-4
136.	<i>Mrutsanjivani vatika</i>	I	<i>Vati</i>	<i>Sannipat jwara</i>	Seed	BBR-4
137.	<i>Mrutyunjay rasa-10</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed, root	BBR-4
138.	<i>Meharirasa-3</i>	I	<i>Rasa</i>	<i>Prameha</i>	Leaves juice	BBR-4
139.	<i>Mahagandhahastinamangad</i>	I/ E	<i>Vati</i>	<i>Visham jwara, netra roga</i>	Seed	BBR-4
140.	<i>Rajayoga</i>	I	<i>Vati</i>	<i>Prameha</i>	Seed	BBR-4
141.	<i>Rudra tailam-1</i>	E	<i>Taila</i>	<i>Shiro roga</i>	Leaves juice	BBR-4
142.	<i>Rudratailam-2</i>	I	<i>Taila</i>	<i>Vatarakta</i>	Seed	BBR-4
143.	<i>Rudratailam-3 (maha)</i>	E	<i>Taila</i>	<i>Vatarakta</i>	Seed	BBR-4
144.	<i>Rasadilepa-4</i>	E	<i>Lepa</i>	<i>Krumi roga</i>	Leaves juice	BBR-4
145.	<i>Raktasutasekhar rasa</i>	I	<i>Rasa</i>	<i>Kapha</i>	Seed	BBR-4
146.	<i>Ravisundar vati</i>	I	<i>Vati</i>	<i>Ajirna</i>	Seed	BBR-4
147.	<i>Rasachandrika vati</i>	I	<i>Vati</i>	<i>Shiroroga</i>	Seed	BBR-4
148.	<i>Rasaraja-4</i>	E	<i>Lepa</i>	<i>Kushth</i>	Seed	BBR-4
149.	<i>Rasa saula rasa-2</i>	I	<i>Vati</i>	<i>Sutika roga</i>	Seed	BBR-4
150.	<i>Rasandhududhulanam</i>	E	<i>Churna</i>	<i>Sannipat jwara</i>	Fruit	BBR-4
151.	<i>Rasendra gutika-2</i>	I	<i>Gutika</i>	<i>Rajayakshma</i>	Leaves juice	BBR-4
152.	<i>Rasendra gutika-3</i>	I	<i>Gutika</i>	<i>Rasayan</i>	Seed	BBR-4
153.	<i>Rasendrachudamani rasa</i>	I	<i>Avaleha</i>	<i>Vajikaran</i>	Leaves juice	BBR-4
154.	<i>Rajamruganka rasa-4</i>	I	<i>Rasa</i>	<i>Yakshma</i>	Leaves juice	BBR-4
155.	<i>Rajashekhar vati-2</i>	I	<i>Vati</i>	<i>Ajirna</i>	Leaves juice	BBR-4

156.	<i>Lavangasava-2</i>	I	<i>Aasava</i>	<i>Prameha</i>	Seed	BBR-4
157.	<i>Lakshmi vilas-1</i>	I	<i>Vati</i>	<i>Sannipat</i>	Seed	BBR-4
158.	<i>Lankeshvar rasa-2</i>	I	<i>Vati</i>	<i>Kushth</i>	Leaves juice	BBR-4
159.	<i>Lohamrutyunjaya rasa</i>	I	<i>Vati</i>	<i>Pliha</i>	Seed	BBR-4
160.	<i>Viryastambhankari vatika</i>	I	<i>Vati</i>	<i>Virya stambhan</i>	Leaves, flower	BBR-4
161.	<i>Vashri tailam</i>	E	<i>Taila</i>	<i>Kushth</i>	Leaves juice	BBR-4
162.	<i>Vishagarbha tailam-1</i>	E	<i>Taila</i>	<i>Vata vyadhi</i>	Seed	BBR-4
163.	<i>Vishagarbha tailam-2</i>	E	<i>Taila</i>	<i>Vata vyadhi</i>	Seed	BBR-4
164.	<i>Vishagarbha tailam-3</i>	E	<i>Taila</i>	<i>Vata vyadhi</i>	Leaves juice	BBR-4
165.	<i>Vishagarbha tailam-4</i>	E	<i>Taila</i>	<i>Vata vyadhi</i>	Leaves juice	BBR-4
166.	<i>Vishagarbha tailam-6</i>	E	<i>Taila</i>	<i>Kushtha</i>	Leaves juice	BBR-4
167.	<i>Vishagarbha tailam-7</i>	E	<i>Taila</i>	<i>Vata vyadhi</i>	Seed oil, leaves juice	BBR-4
168.	<i>Vishatinduka tailam</i>	E	<i>Taila</i>	<i>Vata vyadhi</i>	Leaves juice	BBR-4
169.	<i>Vruhantikkini tailam</i>	E	<i>Taila</i>	<i>Shiro roga</i>	Seed	BBR-4
170.	<i>Vishaladi lepa</i>	E	<i>Lepa</i>	<i>Stari roga</i>	Seed	BBR-4
171.	<i>Vanga rasayanam</i>	I	<i>Rasa</i>	<i>Prameha</i>	Leaves juice	BBR-4
172.	<i>Vangeshvar rasa-8</i>	I	<i>Vati</i>	<i>Prameha</i>	Flower	BBR-4
173.	<i>Vangeshvaraadi vati</i>	I	<i>Gutika</i>	<i>Prameha</i>	Seed	BBR-4
174.	<i>Vajadhara rasa</i>	I	<i>Rasa</i>	<i>Kushth</i>	Leaves juice	BBR-4
175.	<i>Vadavanala rasa-2</i>	I	<i>Churna</i>	<i>Prameha</i>	Seed	BBR-4
176.	<i>Vata jarari rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BBR-4
177.	<i>Vatavindhavansa rasa-1</i>	I	<i>Rasa</i>	<i>Vata vyadhi</i>	Leaves juice	BBR-4
178.	<i>Vatavidhvansa rasa-4</i>	I	<i>Vati</i>	<i>Vata roga</i>	Leaves juice	BBR-4
179.	<i>Daantihad rasa</i>	I	<i>Rasa</i>	<i>Krumi roga</i>	Leaves juice	BBR-4
180.	<i>Varisagar rasa</i>	I	<i>Rasa</i>	<i>Sannipat jwara</i>	Seed	BBR-4
181.	<i>Vijaya sindur rasa</i>	I	<i>Vati</i>	<i>Grahani</i>	Leaves juice	BBR-4
182.	<i>Vinodvidhyadhar rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-4
183.	<i>Vilasini vallabh rasa</i>	I	<i>Vati</i>	<i>Prameha</i>	Seed oil	BBR-4
184.	<i>Vishva tapa haran rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BBR-4
185.	<i>Vishvesvaro rasa-1</i>	I	<i>Rasa</i>	<i>Vata rakta</i>	Seed	BBR-4
186.	<i>Vishvesvaro rasa-4</i>	I	<i>Vati</i>	<i>Jwara</i>	Root	BBR-4
187.	<i>Vishvadipakabhram</i>	I	<i>Vati</i>	<i>Agnimandya</i>	Seed	BBR-4
188.	<i>Visham jwarari rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BBR-4
189.	<i>Vruhantakanak sundaro rasa</i>	I	<i>Vati</i>	<i>Atisara</i>	Seed	BBR-4
190.	<i>Shushkamuladyam tailam</i>	E	<i>Taila</i>	<i>Shotha</i>	Leaves juice	BBR-5, BR
191.	<i>Shothasail tailam</i>	E	<i>Taila</i>	<i>Shotha</i>	Leaves juice	BBR-5, BR
192.	<i>Shankodara rasa-3</i>	I	<i>Rasa</i>	<i>Ashmari</i>	Leaves juice	BBR-5
193.	<i>Shankodara rasa-4</i>	I	<i>Vati</i>	<i>Kshaya</i>	Leaves juice	BBR-5
194.	<i>Shulvasunur rasa</i>	I	<i>Churna</i>	<i>Shoola</i>	Leaves juice	BBR-5
195.	<i>Shleshmakalanalo rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-5, BR
196.	<i>Shleshmashailendra rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed, leaves juice	BBR-5, BR

197.	<i>Swasakaleshvara rasa</i>	I	<i>Churna</i>	<i>Swasa</i>	Seed	BBR-5
198.	<i>Stambhan vatika-2</i>	I	<i>Vati</i>	<i>Vajkaran</i>	Seed oil	BBR-5
199.	<i>Samuhashoshan tailam</i>	E	<i>Taila</i>	<i>Shotha</i>	Seed	BBR-5
200.	<i>Sighmahara taila</i>	E	<i>Lepa</i>	<i>Kushtha</i>	Root	BBR-5
201.	<i>Sthouneykadi lepa</i>	E	<i>Lepa</i>	<i>Kushtha</i>	Leaves juice	BBR-5
202.	<i>Snukra lepa</i>	E	<i>Lepa</i>	<i>Kushtha</i>	Leaves	BBR-5
203.	<i>Snuharkadi lepa</i>	E	<i>Lepa</i>	<i>Kshudra</i>	Leaves	BBR-5
204.	<i>Sanjivanabhrama</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-5
205.	<i>Sannipata gajankusha</i>	I	<i>Rasa</i>	<i>Sannipata</i>	Leaves juice	BBR-5
206.	<i>Sannipatamatankusha rasa</i>	I	<i>Vati</i>	<i>Sannipata</i>	Seed	BBR-5
207.	<i>Sannipatabhairavo rasa-1</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-5
208.	<i>Sannipatabhairavo rasa-3</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-5
209.	<i>Sannipatabhairavo rasa-6</i>	I	<i>Rasa</i>	<i>Sannipata jwara</i>	Leaves juice	BBR-5
210.	<i>Sannipatavadavanal rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Seed	BBR-5
211.	<i>Sannipatavidhvansak</i>	I	<i>Vati</i>	<i>Sannipata</i>	Seed	BBR-5
212.	<i>Sannipatasuryo rasa</i>	I	<i>Rasa</i>	<i>Sannipata</i>	Seed	BBR-5, BR
213.	<i>Sannipatahara rasa</i>	I	<i>Rasa</i>	<i>Shoola</i>	Leaves juice	BBR-5
214.	<i>Sarvangasundara rasa-5</i>	I	<i>Rasa</i>	<i>Shoola</i>	Leaves juice	BBR-5
215.	<i>Sarvangsundara rasa-9</i>	I	<i>Rasa</i>	<i>Shoola</i>	Leaves juice	BBR-5
216.	<i>Sarvaropya rasa</i>	I	<i>Rasa</i>	<i>Sarva roga</i>	Seed, leaves juice	BBR-5
217.	<i>Sarveshvara rasa-8</i>	I	<i>Rasa</i>	<i>Kushtha</i>	Leaves juice	BBR-5
218.	<i>Sudarshan rasa-2</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BBR-5
219.	<i>Sutasekhara rasa-1</i>	I	<i>Vati</i>	<i>Amlapitta</i>	Seed	BBR-5
220.	<i>Sutikaharo rasa-1</i>	I	<i>Vati</i>	<i>Stri roga</i>	Seed	BBR-5
221.	<i>Somapani rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Leaves juice	BBR-5
222.	<i>Svachandabhairava rasa-6</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BBR-5
223.	<i>Hemasundara tailam</i>	E	<i>Taila</i>	<i>Sutika</i>	Fruit juice	BBR-5
224.	<i>Hemakshiryadi lepa-1</i>	E	<i>Taila</i>	<i>Charma roga</i>	Leaves juice	BBR-5
225.	<i>Haragauri rasa</i>	I	<i>Rasa</i>	<i>Vata vyadhi</i>	Leaves juice	BBR-5
226.	<i>Hemagarbha pottali rasa-3</i>	I	<i>Vati</i>	<i>Kasa</i>	Leaves juice	BBR-5, YR
227.	<i>Hemasundara rasa-2</i>	I	<i>Vati</i>	<i>Sangrahani</i>	Seed	BBR-5
228.	<i>Hemasundara rasa-3</i>	I	<i>Rasa</i>	<i>Vajikarana</i>	Leaves juice	BBR-5
229.	<i>Kshara yoga-3</i>	I	<i>Churna</i>	<i>Shoola</i>	Seed	BBR-5
230.	<i>Ksharatamra rasa-3</i>	I	<i>Rasa</i>	<i>Shoola</i>	Leaves juice	BBR-5
231.	<i>Abhayadya gutika</i>	I	<i>Vati</i>	<i>Arsha</i>	Seed	BBR-5
232.	<i>Ankolakadi yoga</i>	E	<i>Lepa</i>	<i>Kushtha</i>	Leaves	BBR-5
233.	<i>Abhayadi lepa</i>	E	<i>Lepa</i>	<i>Vrana</i>	Leaves	BBR-5
234.	<i>Agnimukha rasa-2</i>	I	<i>Vati</i>	<i>Shoola</i>	Seed	BBR-5
235.	<i>Aanandabhairavi gutika</i>	I	<i>Gutika</i>	<i>Sannipata</i>	Seed	BBR-5
236.	<i>Aanandabhairavi vati</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BBR-5
237.	<i>Aanandasuta rasa</i>	I	<i>Rasa</i>	<i>Rasayan</i>	Fruit	BBR-5
238.	<i>Unmadakuthara rasa</i>	I	<i>Rasa</i>	<i>Unmada</i>	Seed	BBR-5
239.	<i>Unmadaparpati rasa</i>	I	<i>Rasa</i>	<i>Unmada</i>	Seed	BBR-5
240.	<i>Erandadi dhoma</i>	E	<i>Varti</i>	<i>Kasa</i>	Root	BBR-5
241.	<i>Kakodumbara yoga-1</i>	I	<i>Churna</i>	<i>Visha</i>	Fruit	BBR-5

242.	<i>Kitava vatika</i>	I	<i>Vati</i>	<i>Unmade</i>	Root	BBR-5
243.	<i>Kapikachchupaka -I</i>	I	<i>Paka</i>	<i>Vajikaran, mutrakruchcha</i>	Seed	BBR-5
244.	<i>Kanaksundara tailam</i>	E	<i>Taila</i>	<i>Vata roga</i>	Seed, leaves juice	BBR-5, YR
245.	<i>Kushthari tailam</i>	E	<i>Taila</i>	<i>Kushtha</i>	Seed	BBR-5
246.	<i>Kushthahara lepa-1</i>	E	<i>Lepa</i>	<i>Kushtha</i>	Seed	BBR-5
247.	<i>Krushnadhaturadi lepa</i>	E	<i>Lepa</i>	<i>Sighma</i>	Root	BBR-5
248.	<i>Kanaksundari gutika</i>	I	<i>Gutika</i>	<i>jwaratisara</i>	Root	BBR-5, BR
249.	<i>Kanakasundaro rasa-2</i>	I	<i>Rasa</i>	<i>Atisara</i>	Seed	BBR-5
250.	<i>Kamakuthara rasa</i>	I	<i>Rasa</i>	<i>Vajikarana</i>	Seed	BBR-5
251.	<i>Karpuradi gutika</i>	I	<i>Gutika</i>	<i>Prameha</i>	Seed	BBR-5
252.	<i>Kameshvara churnam</i>	I	<i>Churna</i>	<i>Stambhan</i>	Seed	BBR-5
253.	<i>Kameshvara rasa-I</i>	I	<i>Vati</i>	<i>Vajikaran</i>	Seed	BBR-5
254.	<i>Kameshvara rasa-2</i>	I	<i>Vati</i>	<i>Vajikaran</i>	Seed	BBR-5
255.	<i>Kalakatu rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Root	BBR-5
256.	<i>Kalavidhvansana rasa</i>	I	<i>Rasa</i>	<i>Kasa</i>	Fruit, leaves juice	BBR-5
257.	<i>Kushthari rasa-2</i>	I	<i>Rasa</i>	<i>Kushtha</i>	Seed oil	BBR-5
258.	<i>Mahajwarankush rasa</i>	I	<i>Rasa</i>	<i>Jwara</i>	Seed	RRS
259.	<i>Sannipatadilokanathagutika</i>	I	<i>Gutika</i>	<i>Sannipata</i>	Leaves juice	RRS
260.	<i>Sannipatagajankusha rasa</i>	I	<i>Vati</i>	<i>Sannipata</i>	Seed	RRS
261.	<i>Sannipatapanchavakva rasa</i>	I	<i>Rasa</i>	<i>Sannipata</i>	Seed	RRS
262.	<i>Sannipateunmata rasa</i>	I	<i>Rasa</i>	<i>Sannipata</i>	Seed	RRS
263.	<i>Aanandasuta rasa</i>	I	<i>Rasa</i>		Fruit, leaves juice	RC
264.	<i>Rasashardal rasa</i>	I	<i>Rasa</i>	<i>Sarva roga</i>	Seed	RC
265.	<i>Palitadhra churnam</i>	I	<i>Churna</i>	<i>Palita</i>	Seed	RC
266.	<i>Lakshmivilas rasa</i>	I	<i>Vati</i>	<i>Sannipata</i>	Seed	RC
267.	<i>Kaminimahavidhunan rasa</i>	I	<i>Vati</i>	<i>Prameha</i>	Seed oil	RC
268.	<i>Mahajwarankusho rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	RC
269.	<i>Lokanatha rasa</i>	I	<i>Vati</i>	<i>Sannipata</i>	Leaves juice	RC
270.	<i>Kanaksundara rasa</i>	I	<i>Vati</i>	<i>Sangrahani</i>	Seed	RC
271.	<i>Bhasmasuta</i>	I	<i>Rasa</i>	<i>Jwara</i>	Leaves	RC
272.	<i>Rasendra gutika</i>	I	<i>Vati</i>	<i>Kasa</i>	Seed	RC
273.	<i>Unmadagajankusha rasa</i>	I	<i>Rasa</i>	<i>Unmade</i>	Seed	RC
274.	<i>Kushthakanduhara tailam</i>	E	<i>Taila</i>	<i>Kandu</i>	Leaves juice	RC
275.	<i>Shleshmashailendra rasa</i>	I	<i>Vati</i>	<i>Saniipata</i>	Seed, leaves juice	RC
276.	<i>Mahashleshmakalana rasa</i>	I	<i>Vati</i>	<i>Sannipata</i>	Seed	RC
277.	<i>Mahalakshamivilas rasa</i>	I	<i>Vati</i>	<i>Sannipata</i>	Seed	RC
278.	<i>Gunjagarbha rasa</i>	I	<i>Vati</i>	<i>Hridya roga</i>	Leaves juice	RC
279.	<i>Sarveshvara rasa</i>	I	<i>Rasa</i>	<i>Jwara</i>	Leaves juice	RC
280.	<i>Shvitradadruhara lepa</i>	E	<i>Lepa</i>	<i>Kushtha</i>	<i>Panchang</i>	RC
281.	<i>Chandanadi ghrita</i>	I	<i>Ghrita</i>	<i>Jwara</i>	Seed	VS
282.	<i>Sidhu yoga</i>	E	<i>Lepa</i>	<i>Bavasira</i>	Seed	VS
283.	<i>Unmat taila</i>	E	<i>Taila</i>	<i>Vipadika</i>	<i>Rasakriya</i>	VS
284.	<i>Paradadi lepa</i>	E	<i>Lepa</i>	<i>Krumi</i>	Leaves juice	CD
285.	<i>Unmadedhurtamulapayas</i>	I	<i>Churna</i>	<i>Unmade</i>	Root	CD

286.	<i>Dhaturbija tailam</i>	E	<i>Taila</i>	<i>Vipadika</i>	Seed	CD
287.	<i>Kukkuravishahara yoga</i>	I	<i>Rasa</i>	<i>Visha</i>	Leaves	CD
288.	<i>Shrisiddhahinguleshvara</i>	I	<i>Curna</i>	<i>Jwara</i>	Root	RT
289.	<i>Trayath shankhvishodaya rasa</i>	I	<i>Vati</i>	<i>Visham jwara</i>	Seed	RT
290.	<i>Pralapantak rasa</i>	I	<i>Vati</i>	<i>Agnimandya</i>	Seed	RT
291.	<i>Unmadagajankush</i>	I	<i>Vati</i>	<i>Unmada</i>	Seed	RT
292.	<i>Granthisothanivartika</i>	E	<i>Varti</i>	<i>Granthi shotha</i>	Fruit	RT
293.	<i>Gunjabhag rasa</i>	I	<i>Vati</i>	<i>Urustambh</i>	Leaves juice	RT
294.	<i>Karvirasya bahya prayog</i>	E	<i>Vati</i>	<i>Upadamsha</i>	Seed	RT
295.	<i>Sutasekhara rasa</i>	I	<i>Vati</i>	<i>Sangrahani</i>	Seed	RT
296.	<i>Karnamula hara lepa</i>	E	<i>Lepa</i>	<i>Karnamula roga</i>	Leaves juice	RT
297.	<i>Ahiphena taila</i>	I	<i>Taila</i>	<i>Karnashula</i>	Leaves juice	RT
298.	<i>Vraja taila</i>	E	<i>Taila</i>	<i>Kushitha</i>	Seed	SS
299.	<i>Dhaturadi tailam</i>	I	<i>Taila</i>	<i>Vata roga</i>	Leaves juice	SS
300.	<i>Mahajwarankush rasa</i>	I	<i>Rasa</i>	<i>Visham jwara</i>	Seed	RT
301.	<i>Panchvaktra rasa</i>	I	<i>Rasa</i>	<i>Sannipata</i>	Leaves juice	RT
302.	<i>Unmata rasa</i>	I	<i>Rasa</i>	<i>Sannipata</i>	Fruit	RT
303.	<i>Udayadi rasa</i>	E	<i>Rasa</i>	<i>Sveta Kushth</i>	Seed	RT
304.	<i>Sarvesvara rasa</i>	I	<i>Rasa</i>	<i>Kushitha</i>	Seed	RT
305.	<i>Sannipatabhairava rasa</i>	I	<i>Rasa</i>	<i>Sannipata</i>	Leaves juice	RT
306.	<i>Pamadi lepa</i>	E	<i>Lepa</i>	<i>Pama</i>	Leaves juice	RT
307.	<i>Slipadarogahara lepa</i>	E	<i>Lepa</i>	<i>Slipada</i>	Leaves	RT
308.	<i>Tribhuvankirti rasa</i>	I	<i>Rasa</i>	<i>Sannipata jwara</i>	Leaves juice	YR
309.	<i>Grahanigajakesari rasa</i>	I	<i>Rasa</i>	<i>Grahani</i>	Seed	YR
310.	<i>Kanaksundara rasa</i>	I	<i>Vati</i>	<i>Grahani</i>	Seed	YR
311.	<i>Paashupato rasa</i>	I	<i>Vati</i>	<i>Ajirna</i>	Seed	YR
312.	<i>Paradadi pukapat yoga</i>	E	<i>Lepa</i>	<i>Krumi</i>	Leaves juice	YR
313.	<i>Unmadagajakesari rasa</i>	I	<i>Rasa</i>	<i>Unmada</i>	Seed	YR
314.	<i>Bhutabhairava</i>	I	<i>rasa</i>	<i>Unmada</i>	Seed	YR
315.	<i>Dvitiyavishagarbha tailam</i>	I	<i>Taila</i>	<i>Vata vyadhi</i>	Leaves juice	YR
316.	<i>Mahavishagarbha taila</i>	I	<i>Taila</i>	<i>Vata vyadhi</i>	Seed	YR
317.	<i>Mahavangeshvara rasa</i>	I	<i>Rasa</i>	<i>Prameha</i>	Flower	YR
318.	<i>Kanakarishta</i>	I	<i>Arishta</i>	<i>Kushitha</i>	Bark	YR
319.	<i>Sutashekhar rasa</i>	I	<i>Vati</i>	<i>Visarpa</i>	Seed	YR
320.	<i>Gandhak taila</i>	I	<i>Taila</i>	<i>Karna roga</i>	Leaves juice	YR
321.	<i>Kameshvar modak</i>	I	<i>Modak</i>	<i>Vajikaran</i>	Seed	YR
322.	<i>Yagdhabana rasa</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Leaves juice	YR
323.	<i>Lachumushyadhanva rasa</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Leaves Juice	YR
324.	<i>Sinduradi yoga</i>	E	<i>Churna</i>	<i>Vajikaran</i>	Seed	YR
325.	<i>Gunjagarbho rasa</i>	I	<i>Vati</i>	<i>Amavata</i>	Leaves juice	YR
326.	<i>Paradadi lepa</i>	E	<i>Lepa</i>	<i>Vranaropan</i>	Leaves juice	YR
327.	<i>Garudanjana</i>	E	<i>Vati</i>	<i>Kleshya</i>	Leaves juice	YR
328.	<i>Kameshvarah</i>	I	<i>Vati</i>	<i>Vajikaran</i>	Seed	YR
329.	<i>Atahmahajwarankush</i>	I	<i>Rasa</i>	<i>Jwara</i>	Seed	YR
330.	<i>Sannipatabhairav rasa</i>	I	<i>Rasa</i>	<i>Sannipata jwara</i>	Leaves juice	YR
331.	<i>Panchvaktra rasa</i>	I	<i>Rasa</i>	<i>Sannipata jwara</i>	Leaves juice	YR

332.	<i>Mrutasanjivano rasa</i>	I	<i>Rasa</i>	<i>Atisara</i>	Leaves juice	YR
333.	<i>Agastisutarajo rasa</i>	I	<i>Rasa</i>	<i>Grahani</i>	Seed	YR
334.	<i>Rasadi lepa</i>	E	<i>Lepa</i>	<i>Krumi</i>	Leaves juice	YR
335.	<i>Athanavaratnamrugank</i>	I	<i>Rasa</i>	<i>Rajayakshma</i>	Leaves juice	YR
336.	<i>Narayanjwarankush rasa</i>	I	<i>Rasa</i>	<i>Sannipata jwara</i>	Seed	YR
337.	<i>Athonmatabhairava rasa</i>	I	<i>Vati</i>	<i>Swasa</i>	Seed	YR
338.	<i>Vanti</i>	I	<i>Rasa</i>	<i>Vaman</i>	Leaves juice	YR
339.	<i>Laghuvishagarbha taila</i>	I	<i>Taila</i>	<i>Vata vyadhi</i>	Seed	YR
340.	<i>Mahalaksminarayan tailam</i>	E	<i>Taila</i>	<i>Vata vyadhi</i>	Root	YR
341.	<i>Prananath rasa</i>	I	<i>Rasa</i>	<i>Rajayakshma</i>	Leaves juice	RRS
342.	<i>Kanaksundara rasa</i>	I	<i>Vati</i>	<i>Grahani</i>	Seed	RRS
343.	<i>Sarva roga rasa</i>	I	<i>Vati</i>	<i>Sarva roga</i>	Seed	RRS
344.	<i>Vahijvala vati rasa</i>	I	<i>Vati</i>	<i>Grahani</i>	Seed	RRS
345.	<i>Bhandagnayado rajashekhaba vati</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	RRS
346.	<i>Kachanimula churna</i>	I	<i>Churna</i>	<i>Pliha</i>	Root	RRS
347.	<i>Agnimukha rasa</i>	I	<i>Vati</i>	<i>Vata shoola</i>	Leaves juice	RRS
348.	<i>Saratambhra rasa</i>	I	<i>Rasa</i>	<i>Vata shoola</i>	Leaves juice	RRS
349.	<i>Agnimukha rasa</i>	I	<i>Rasa</i>	<i>Gulma</i>	Root	RRS
350.	<i>Kalavidharvasan rasa</i>	I	<i>Rasa</i>	<i>Pandu</i>	Leaves juice, fruit	RRS
351.	<i>Prataplankeshvara rasa</i>	I	<i>Rasa</i>	<i>Kushtha</i>	Leaves juice	RRS
352.	<i>Tripurantak rasa</i>	I	<i>Vati</i>	<i>Kushtha</i>	Seed	RRS
353.	<i>Vajradhara rasa</i>	I	<i>Rasa</i>	<i>Kushtha</i>	Leaves juice	RRS
354.	<i>Ssarveshvara rasa</i>	I	<i>Rasa</i>	<i>Kushtha</i>	Leaves juice	RRS
355.	<i>Vajratailam</i>	E	<i>Taila</i>	<i>Kushtha</i>	<i>Kwatha</i>	RRS
356.	<i>Kushtharitailam</i>	E	<i>Taila</i>	<i>Kushtha</i>	Seed	RRS
357.	<i>Sarveshvara rasa</i>	I	<i>Rasa</i>	<i>Vata roga</i>	Leaves juice	RRS
358.	<i>Unmataparpati pryogo pradesh</i>	I	<i>Rasa</i>	<i>Unmade</i>	Seed	RRS
359.	<i>Nirgundikadi tailam</i>	E	<i>Taila</i>	<i>Unmade</i>	seed	RRS
360.	<i>Dhasturapanchang ghritam</i>	I	<i>Ghreet</i>	<i>Unmade</i>	<i>Panchang</i>	RRS
361.	<i>Piladoektrishang varti</i>	E	<i>Varti</i>	<i>Agnimandya</i>	Root	RRS
362.	<i>Maniparati rasa</i>	I	<i>Rasa</i>	<i>Nasa roga</i>	Root	RRS
363.	<i>Parade prayoga</i>	E	<i>Lepa</i>	<i>Krumi roga</i>	Leaves juice	RRS
364.	<i>Langalisdi lepa</i>	I	<i>Lepa</i>	<i>Bhagandara</i>	Seed	RRS
365.	<i>Dhustur prayoga</i>	E	-----	<i>Garbhapata</i>	Root	RRS
366.	<i>Kanakadi vati</i>	I	<i>Vati</i>	<i>Visha</i>	Seed	RRS
367.	<i>Sarvarogahara rasayanam</i>	I	<i>Rasa</i>	<i>Sarva roga</i>	Seed	RRS
368.	<i>Sausutanarikela prayoga</i>	I	<i>Khanda</i>	<i>Vata roga</i>	Seed	RRS
369.	<i>Rasendrachudamani rasa</i>	I	<i>Rasa</i>	<i>Stambhakarak</i>	Leaves juice	RRS
370.	<i>Panchamloha kalpa</i>	I	<i>Vati</i>	<i>Prameha</i>	Root	RRS
371.	<i>Ashtamloha kalpa</i>	I	<i>Churna</i>	<i>Jwara</i>	Leaves juice	RRS
372.	<i>Ayadorasa kalpa</i>	I	<i>Paka</i>	<i>Kshaya</i>	Seed	RRS
373.	<i>Swachandabhairavo rasa</i>	I	<i>Vati</i>	<i>Sannipata jwra</i>	Leaves juice	RSS
374.	<i>Trilokyasundaro rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Leaves juice	RSS
375.	<i>Panchavaktra rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Leaves juice	RSS
376.	<i>Chintamani rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	RSS

377.	<i>Aanandabhairavi vatika</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Seed	RSS
378.	<i>Unmata rasa</i>	I	<i>Rasa</i>	<i>Sannipata jwara</i>	Fruit juice	RSS
379.	<i>Jwaraharo rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Leaves juice	RSS
380.	<i>Vadavanalo rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Seed	RSS
381.	<i>Jwarariabhram</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	RSS
382.	<i>Jwarari rasa</i>	I	<i>Vati</i>	<i>Vatic jwara</i>	Seed	RSS
383.	<i>Kanaksundaro rasa</i>	I	<i>Vati</i>	<i>Jwara, atisara</i>	Seed	RSS
384.	<i>Kanakprabhavati</i>	I	<i>Vati</i>	<i>Jwaratisara</i>	Seed	RSS
385.	<i>Bruhatkanaksundaro rasa</i>	I	<i>Vati</i>	<i>Pittatisara</i>	Seed	RSS
386.	<i>Mrutasanjivano rasa</i>	I	<i>Vati</i>	<i>Atisara</i>	Leaves juice	RSS
387.	<i>Grahanikapato rasa</i>	I	<i>Vati</i>	<i>Grahanī</i>	Seeed	RSS
388.	<i>Jatiphala rasa</i>	I	<i>Vati</i>	<i>Grahanī</i>	Seed	RSS
389.	<i>Piushavalli rasa</i>	I	<i>Vati</i>	<i>Grahanī</i>	Seed	RSS
390.	<i>Sangrahanikapato rasa</i>	I	<i>Rasa</i>	<i>Grahanī</i>	Leaves juice	RSS
391.	<i>Jatiphaladha vati</i>	I	<i>Vati</i>	<i>Arsha</i>	Seed	RSS
392.	<i>Pashupato rasa</i>	I	<i>Vati</i>	<i>Ajirna</i>	Seed	RSS
393.	<i>Kameshvaro rasa</i>	I	<i>Vati</i>	<i>Pandu</i>	Leaves juice	RSS
394.	<i>Unmatagajankusho rasa</i>	I	<i>Rasa</i>	<i>Unmade</i>	Seed	RSS
395.	<i>Kanakbija prayog</i>	I	<i>Rasa</i>	<i>Bhōtonmada</i>	Seed	RSS
396.	<i>Sarvamayelakshnivilas rasa</i>	I	<i>Vati</i>	<i>Sarva roga</i>	Seed	RSS
397.	<i>Sleshmashailendro rasa</i>	I	<i>Rasa</i>	<i>Sleshmik roga</i>	Seed	RSS
398.	<i>Vishveshvaro rasa</i>	I	<i>Rasa</i>	<i>Kushth</i>	Root	RSS
399.	<i>Urustambhegunjabhadra rasa</i>	I	<i>Vati</i>	<i>Urustambha</i>	Leaves juice	RSS
400.	<i>Sarvashulesarvargasundaro rasa</i>	I	<i>Rasa</i>	<i>Shula</i>	Leaves juice	RSS
401.	<i>Sarvatikshnashule agnimukho rasa</i>	I	<i>Vati</i>	<i>Shula</i>	Leaves juice	RSS
402.	<i>Sarvakushthepralepa</i>	E	<i>Lepa</i>	<i>Kushtha</i>	Root	RSS
403.	<i>Shvitradadrupatal lepa</i>	E	<i>Lepa</i>	<i>Shvitra</i>	Seed	RSS
404.	<i>Rasachandrika vati</i>	I	<i>Vati</i>	<i>Shiro roga</i>	Seed	RSS
405.	<i>Mahalakshamivilaso rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Leaves juice, seed	RSS
406.	<i>Bruhadrasasadul</i>	I	<i>Vati</i>	<i>Sutika</i>	Leaves juice	RSS
407.	<i>Naradyalaksmivilaso rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Seed	RSS
408.	<i>Prachetana vati</i>	E	<i>Vati</i>	<i>Sannipata jwara</i>	Fruit	BR
409.	<i>Svachandabhairava rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BR
410.	<i>Unmata rasa</i>	I	<i>Rasa</i>	<i>Sannipata jwara</i>	Fruit	BR
411.	<i>Aanandabhairavi vatika</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Seed	BR
412.	<i>Trailokyasundsra rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Leaves juice	BR
413.	<i>Paniya vatika</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BR
414.	<i>Siddhaphalapaniya vatika</i>	I	<i>Vati</i>	<i>Tridosha hara, jwara</i>	Leaves juice	BR
415.	<i>Sannipatabhairavo rasa</i>	I	<i>Vati</i>	<i>Sannipata</i>	Seed	BR
416.	<i>Vadavanolorasa</i>	I	<i>Vati</i>	<i>Sannipata</i>	Seed	BR
417.	<i>Jwaramatangakesari</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR
418.	<i>Jwaramurai rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR
419.	<i>Vidhyadharo rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR

420.	<i>Jwararyabhrām</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR
421.	<i>Jivananandabhrām</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR
422.	<i>Mrutasanjivani</i>	I	<i>Rasa</i>	<i>Jwara</i>	Root	BR
423.	<i>Kanaksundar rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR
424.	<i>Kanakasundaro rasa</i>	I	<i>Vati</i>	<i>Pittatisara</i>	Seed	BR
425.	<i>Mrutasanjivano rasa</i>	I	<i>Rasa</i>	<i>Atisara</i>	Root	BR
426.	<i>Jatiphala rasa</i>	I	<i>Vati</i>	<i>Grahani</i>	Seed	BR
427.	<i>Mahabhra vati</i>	I	<i>Vati</i>	<i>Grahani</i>	Leaves juice	BR
428.	<i>Piushvallirasa</i>	I	<i>Vati</i>	<i>Atisara</i>	Root	BR
429.	<i>Agatsyasuttarajo rasa</i>	I	<i>Vatia</i>	<i>Grahani</i>	Seed	BR
430.	<i>Dugdha vati</i>	I	<i>Vati</i>	<i>Sangrahani</i>	Seed	BR
431.	<i>Jatiphaladi vati</i>	I	<i>Vati</i>	<i>Agnimandya</i>	Seed	BR
432.	<i>Lukavinashakolepo</i>	E	<i>Lepa</i>	<i>Krumi</i>	Leaves juice	BR
433.	<i>Bruhatsendra gutika</i>	I	<i>Vati</i>	<i>Kasa</i>	Seed	BR
434.	<i>Unmadagajakesari rasa</i>	I	<i>Rasa</i>	<i>Unmade</i>	Seed	BR
435.	<i>Unmadagajankush</i>	I	<i>Vati</i>	<i>Bhutonmada</i>	Seed	BR
436.	<i>Lakshamivilaso rasa</i>	I	<i>Vati</i>	<i>Sarva vata vikar</i>	Seed	BR
437.	<i>Vishveshvaro rasa</i>	I	<i>Rasa</i>	<i>Vata rakta</i>	Root	BR
438.	<i>Rudratalam</i>	I	<i>Taila</i>	<i>Kushtha</i>	Root	BR
439.	<i>Maharudratalam</i>	E	<i>Taila</i>	<i>Kushtha</i>	Root	BR
440.	<i>Gulmakalanalo rasa</i>	I	<i>Vati</i>	<i>Gulma</i>	Leaves juice	BR
441.	<i>Sushkamulad tailam</i>	E	<i>Taila</i>	<i>Shotha</i>	<i>Panchang</i>	BR
442.	<i>Vranashothahara lepa</i>	E	<i>Lepa</i>	<i>Vrana shotha</i>	Root	BR
443.	<i>Bhallatakadi lepa</i>	E	<i>Lepa</i>	<i>Indralupta</i>	Root	BR
444.	<i>Mahalakshamivilasa</i>	I	<i>Vati</i>	<i>Shiro roga</i>	Seed	BR
445.	<i>Rasachandrikavati</i>	I	<i>Vati</i>	<i>Shiro roga</i>	Seed	BR
446.	<i>Kanaktailam</i>	I	<i>Taila</i>	<i>Shiroroga</i>	Leaves	BR
447.	<i>Sutikahara rasa</i>	I	<i>Vati</i>	<i>Sutika roga</i>	Seed	BR
448.	<i>Mahalakshamivilas rasa</i>	I	<i>Vati</i>	<i>Kapha</i>	Seed	BR
449.	<i>Mofarava</i>	I	<i>Avaleha</i>	<i>Vajikaran</i>	Seed	BR
450.	<i>Rasatailam</i>	E	<i>Taila</i>	<i>Shirshambu</i>	Leaves	BR
451.	<i>Mahasleshmakalanal rasa</i>	I	<i>Vati</i>	<i>Sannipata</i>	Seed	BR
452.	<i>Sleshmasailendra rasa</i>	I	<i>Rasa</i>	<i>Kapha</i>	Seed	BR
453.	<i>Dhustur tailam</i>	I	<i>Taila</i>	<i>Kapha</i>	Seed	BR
454.	<i>Chakrika rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Seed	BR
455.	<i>Sannipatabhairavo rasa</i>	I	<i>Vati</i>	<i>Sannipata jwara</i>	Seed	BR
456.	<i>Panchavaktra rasa</i>	I	<i>Rasa</i>	<i>Tridosha jwara</i>	Leaves juice	BR
457.	<i>Mrutyunjayo rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed, root	BR
458.	<i>Shreeprataplankesha rasa</i>	I	<i>Rasa</i>	<i>Jwara</i>	Leaves juice	BR
459.	<i>Vidhyadharo rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR
460.	<i>Chintamani rasa</i>	I	<i>Vati</i>	<i>Sarva jwara</i>	Seed	BR
461.	<i>Sleshmaslendra rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR
462.	<i>Shreekameshvara modak</i>	I	<i>Gutika</i>	<i>Grahani</i>	Root	BR
463.	<i>Piushavalli rasa</i>	I	<i>Vati</i>	<i>Grahani</i>	Root	BR
464.	<i>Jatiphaladi vati</i>	I	<i>Vati</i>	<i>Agnimandya</i>	Seed	BR
465.	<i>Dhustur tailam</i>	E	<i>Taila</i>	<i>Krumi</i>	Leaves juice	BR
466.	<i>Dhusturphalashakhadi</i>	E	<i>Dhumra</i>	<i>Swasa</i>	Fruit	BR

	<i>dhum</i>		<i>pan</i>			
467.	<i>Navaratnarajabhrugank rasa</i>	I	<i>Rasa</i>	<i>Vata vyadhi</i>	Leaves juice	BR
468.	<i>Sarveshvvara rasa</i>	I	<i>Rasa</i>	<i>Vata rakta</i>	Leaves juice	BR
469.	<i>Rasonadilepa</i>	E	<i>Lepa</i>	<i>Urustambha</i>	Root	BR
470.	<i>Dugdha vati</i>	I	<i>Vaati</i>	<i>Shotha roga</i>	Leaves juice	BR
471.	<i>Shirvati</i>	I	<i>Vati</i>	<i>Shotha</i>	Seed	BR
472.	<i>Shothasadul tailam</i>	I	<i>Taila</i>	<i>Shoth</i>	<i>Panchang</i>	BR
473.	<i>Sarveshvvaro rasa</i>	I	<i>Rasa</i>	<i>Kushitha</i>	Leaves	BR
474.	<i>Nishatailam</i>	E	<i>Taila</i>	<i>Karnanadi roga</i>	Leaves juice	BR
475.	<i>Dashamula tailam-2</i>	I	<i>Taila</i>	<i>Shiroroga</i>	<i>Panchang</i>	BR
476.	<i>Rudratailam</i>	I	<i>Taila</i>	<i>Shiroroga</i>	Leaves	BR
477.	<i>Taptaraja tailam</i>	I	<i>Taila</i>	<i>Shiroroga</i>	Leaves	BR
478.	<i>Ghatakyadi tailam</i>	E	<i>Taila</i>	<i>Sutika</i>	Root	BR
479.	<i>Kaminidarpaghna</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Seed oil	BR
480.	<i>Pushpadhanva</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Leaves juice	BR
481.	<i>Vilasinivallabha rasa</i>	I	<i>Rasa</i>	<i>Dhvajabhangha</i>	Seed	BR
482.	<i>Paniyavatika</i>	I	<i>Vati</i>	<i>Jwara</i>	Leaves juice	BR
483.	<i>Sannipatasuryo rasa</i>	I	<i>Rasa</i>	<i>Jwara</i>	Seed	BR
484.	<i>Kalagni bhairavo rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR
485.	<i>Tarilokyachintamani</i>	I	<i>Vati</i>	<i>Jwara</i>	Root	BR
486.	<i>Mudrodhavatako rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Root	BR
487.	<i>Shreejayamangalo rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Root	BR
488.	<i>Lakshmivilas rasa</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR
489.	<i>Kanakprabhavati</i>	I	<i>Vati</i>	<i>Jwara</i>	Seed	BR
490.	<i>Kanakmuladivarti</i>	I	<i>Varti</i>	<i>Atisara</i>	Root	BR
491.	<i>Sangahanikapato rasa</i>	I	<i>Vati</i>	<i>Grahani</i>	Root	BR
492.	<i>Grahanisadul vatika</i>	I	<i>Vati</i>	<i>Grahani</i>	Root	BR
493.	<i>Jatiphalaya vati</i>	I	<i>Vati</i>	<i>Grahani</i>	Seed	BR
494.	<i>Dhaturadichurnam</i>	I	<i>Churna</i>	<i>Arsha</i>	Fruit, seed	BR
495.	<i>Pasupato rasa</i>	I	<i>Vati</i>	<i>Agnimandya</i>	Seed	BR
496.	<i>Rasendra gutika</i>	I	<i>Gutika</i>	<i>Rajayakshma</i>	Leaves juice	BR
497.	<i>Vishvodipakabhram</i>	I	<i>Vati</i>	<i>Agnimandya</i>	Root	BR
498.	<i>Mahakaleshvaro rasa</i>	I	<i>Rasa</i>	<i>Kasa</i>	Seed	BR
499.	<i>Kanakasava</i>	I	<i>Aasava</i>	<i>Hikka, swasa</i>	Seed	BR
500.	<i>Unmadaparpati rasa</i>	I	<i>Rasa</i>	<i>Bhotonmada</i>	Seed	BR
501.	<i>Shiva tailam</i>	I	<i>Taila</i>	<i>Unmad</i>	Seed	BR
502.	<i>Vishagarbha tailam</i>	E	<i>Taila</i>	<i>Vata vyadhi</i>	Seed	BR
503.	<i>Mahavishagarbha tailam</i>	I	<i>Taila</i>	<i>Vata vyadhi</i>	Root	BR
504.	<i>Vishtinduk tailam</i>	I	<i>Taila</i>	<i>Vata rakta</i>	Leaves juice	BR
505.	<i>Kshodradi pralepa</i>	E	<i>Lepa</i>	<i>Urustambha</i>	Leaves juice	BR
506.	<i>Gunjabhadro rasa</i>	I	<i>Vati</i>	<i>Urustambha</i>	Leaves juice	BR
507.	<i>Kalpalata vati</i>	I	<i>Vati</i>	<i>Shotha</i>	Seed	BR
508.	<i>Samudrashoshan tailam</i>	I	<i>Taila</i>	<i>Shotha</i>	<i>Panchang</i>	BR
509.	<i>Dhusturadi lepa</i>	I	<i>Lepa</i>	<i>Slipada</i>	Root	BR
510.	<i>Unmata tailam</i>	E	<i>Taila</i>	<i>Kushitha</i>	Seed	BR
511.	<i>Kandaprasara tailam</i>	E	<i>Taila</i>	<i>Kushitha</i>	Leaves juice	BR

512.	<i>Kidany tailam</i>	I	<i>Taila</i>	<i>Shiro roga</i>	Root	BR
513.	<i>Kumaritailam</i>	E	<i>Taila</i>	<i>Shiroroga</i>	Leaves juice	BR
514.	<i>Dhusturtailam</i>	E	<i>Taila</i>	<i>Karnashula</i>	<i>Panchang</i>	BR
515.	<i>Kukkurvishahara yoga</i>	I	<i>Rasa</i>	<i>Visha</i>	Leaves	BR
516.	<i>Bhimarudrarasaonya</i>	I	<i>Vati</i>	<i>Visha</i>	Root	BR
517.	<i>Kamagnisandipan</i>	I	<i>Rasa</i>	<i>Vajikaran</i>	Seed	BR
518.	<i>Kamadevarasa</i>	I	<i>Rasa</i>	<i>Veryastambhan</i>	Fruit	BR
519.	<i>Kanaktailam</i>	I	<i>Taila</i>	<i>Kapha</i>	Seed	BR
520.	<i>Trilokyatapahara</i>	I	<i>Vati</i>	<i>Navin jwara</i>	Leaves juice	BR
521.	<i>Svasaghna dhuma</i>	E	<i>Dhumra</i>	<i>Swasa</i>	Leaves juice	BR

SS- Sharangadhara samhita,²⁰ CD- Chakradutt,²¹ VS- Vangasena Samhita,²² RRS- Rasa Ratna Samuchchaya,²³ BR- Bhaishajya Ratnavali,²⁴ YR- Yoga Ratnakara²⁵, RC- Rasendra Chintamani,²⁶ RSS- Rasendra Sara Sangrah,²⁷ RT- Rasa Tarangini,²⁸ BBR- Bharat Bhaishajya Ratnakara.²⁹⁻³²

It is observed that has been used as an ingredient 521 formulations comprising of 423 internal and 96 external formulations and 2 formulations are internal as well as external. In external application the formulations are indicated for *gradhrasi* (Sciatica), *kushtha* (skin disease), *jalodara* (ascites), *shiro roga* (disease of head), *masa* (mole), *visarpa* (erysipelas), *vipadika* (scaly lesions on palms and soles), *vata rakta* (gout), *stri roga* (gynecological disorder), *vrana* (wound), *shlipad* (filariasis), *vatavyadhi* (disease of joint), *netra roga* (eye disease), *krumi* (worms), *shotha* (inflammation).

Formulations for internal administration disease conditions like *sannipata* (vitiation of all doshas), *arsha* (piles), *grahani* (irritable bowel disorder), *hikka* (hiccough), *kasa* (cough), *jwara* (fever), *kshaya* (pulmonary tuberculosis), *kushtha* (skin disease), *shula* (pain), *stri roga* (gynecological disorder), *vatarakta* (gout), *rasayan* (rejuvenating agent), *gulma* (abdominal lump), *karna roga* (ear disorder), *mutrakrichcha* (dysuria), *shlipad* (filariasis), *vrana* (wound), *unnmada* (insanity), *apasmara* (epilepsy), *krumi* (worms), *atisara* (diarrhoea), *rajayakshama* (tuberculosis), *agnimandya* (loss of appetite), *visarpa* (erysepales), *vata vyadhi* (disease of joints), *vajikaran* (aphrodisiac).

Highest number of formulation was found in *jwara* (75), *vajikaran* (24), *unnmada* (15), *kushtha* (20).

It is observed that seed of dhatura being used highest number of formulations (270), followed by oil (9), leaves (163), fruit (20), root (44), flower (2), *panchang* (9).

PART USED & DOSE³³: Root - 1gm to 4gm, Leaves juice – 5gm to 10gm, Seeds - 240mg

FORMULATIONS OF DHATURA:

Various *sangraha granthas* (compendias) were scrutinized for the formulations containing *Dhatura* as an ingredient and mentioned in Table-5.

CONCLUSION:

Datura (*Datura innoxia* Mill.) is found common in tropical parts of India to temperate parts of Himalayas. Mainly three variety of *Datura* are found in various *nighantus* i.e. *sweta dhatura*, *rajadhattura* & *krishnadhattura*. *Datura* is attributed with pharmacological properties i.e. *katu*, *kashaya*, *madhura*, *tikta rasa*, *katu vipak* and *ushna guna*; useful to combat various disease conditions such as *kushtha* (skin disease), inflammation, gout, fever, pain, etc. it is used in more than 521 classical formulations, more than 18 dosage forms, used in about 50 diseased conditions, 96 external, 423 internally and 2 externally as well as internally used.

REFERENCES

1. Dr. Gyanendra Pandey. System of Plant Nomenclature in Ayurveda. Edn. II, Chowkhambha Sanskrit Series Office, Varansi, 2011.
2. Doshi Krunal, Acharya Rabinarayan. Therapeutic importance of Eranda (*Ricinus communis* Linn.) in Ayurveda - a Review. Ayurpharm Int J Ayur Alli Sci. 2013; 2(9):281-295.
3. D. S. Lucas. Dravyaguna-Vijnana. Edn 1st, Vol 2, Chaukhambha vishvabharati, Varanasi, 2008, 306.
4. Sharma PV, editor. Dhanvantari Nighantu. Edn. 3rd, Chaukhambha Orientalia, Varanasi, 2002, 122.
5. Kaiyadeva. Kaiyadeva Nighantu. Sharma PV, Guru Prasad Sharma, editors. Edn 1st, Chaukhambha Orientalia, Varanasi, 1979, 632.
6. Bhavamishra. Bhavaprakasha Nighantu. Pandey GS, editor, Edn 1st, Chaukhambha Bharati Academy, Varanasi, 2006, 303.
7. Shaligram Vaishya. Shaligramanighantu Bhushanam. Edn 1st, Khemraj Shrikrishnadas Prakashan, Mumbai, 2002, 233.
8. Kamat SD, editor. Sarasvati Nighantu. Edn 1st, Chaukhamba Sanskrit Pratisthan, Delhi, 2006, 43.
9. Sharma PV. Priya Nighantu. Edn 1st, Chaukhambha Surbharti Prakashan, Varanasi, 2004, 113.
10. Dr. J.L.N. sastry. Ayurvedokta Oushadha niruktamala. Edn 1st, Chaukhambha Orientalia, Varanasi, 2001, 51.
11. Monier Williams. A Sanskrit-English Dictionary. Bharatiya Granthh Niketan, New Delhi, 2007.
12. Vaman Shivram Apte. The Student's Sanskrit-English Dictionary. Edn 13th, Motilal Banarasidas Prakashan Private limited, Delhi, 2011.
13. Pandit Narahari. Raja Nighantu. Indradeo Tripathi, editor. Edn 3rd, Krishnadas Academy, Varanasi, 2003, 300.
14. Ibid. 3 Dravyaguna-Vijnana. 304.

15. Ibid. 4 Dhanvantari Nighantu. 122.
16. Ibid 5. Kaiyadeva Nighantu. 632.
17. Ibid 6. Bhavaprakasha Nighantu. 303.
18. Ibid. 7. Shaligramanighantu. 233.
19. Ibid. 11. Priya Nighantu. 113.
20. Sharangadhara. Sharangadhara Samhita. Srikanta Murthy KR, editor. Edn 4th, Chaukhamba Orientalia, Varanasi, 2001.
21. Chakrapanidutta. Chakradutta. Indradev T, editor. Edn IV, Chaukhamba Sanskrit Sansthan, Varanasi, 2002.
22. Vangasena. Vangasena Samhita. Saxena N, editor. Edn 1st, Vol. I and II, Chaukhamba Sanskrit Series office, Varanasi, 2004.
23. Rasavagbhata. Rasaratnasamuchchaya. Shastri AD, editor. Edn 3rd, Chaukhamba Orientalia, Varanasi, 1995.
24. Shri Govind Das. Bhaishajyaratnavali. Mishra BS, Shastri AD, Shastri RD, editors, Edn 19th, Chaukhambha Prakashan, Varanasi, 2008.
25. Tripathi ID, Tripathi DS. Yogaratnakar. Edn 1st, Krishnadas Academy, Varanasi, 1998.
26. Acharya Dhundhuka Nath. Rasendrachintamani. Misra SN, editor. Edn 1st, Chaukhamba Orientalia, Varanasi, 2000.
27. Sri Gopal Krishna. Rasendrasarsangraha (Hindi). Satyarth P, editor. Edn 1st, Krishnadas Academy, Varanasi, 1992.
28. Shadanand Sharma. Rasa Tarangini. Kashinath Shastri, editor, Edn 11th, Motilal banarasidas, Varansi, 2009.
29. Shah NC, editor. Bharatbhaishajyaratnakara. Vol. 1 to 5. Edn 1st, B Jain Publishers, New Delhi, 2005.
30. Bharatbhaishajyaratnakara. Shah NC, editor. Vol. 1 to 5. Edn 1st, B Jain Publishers, New Delhi, 2005. Bruhad nighantu ratnakar.
31. Bharatbhaishajyaratnakara. Shah NC, editor. Vol. 1 to 5. Edn 1st, B Jain Publishers, New Delhi, 2005. Rasa kamadhenu.
32. Bharatbhaishajyaratnakara. Shah NC, editor. Vol. 1 to 5. Edn 1st, B Jain Publishers, New Delhi, 2005. Gadanigrah.

33. Pandit Narahari. Raja Nighantu. Indradeo Tripathi, editor. Edn III, Krishnadas Academy, Varanasi, 2003, 301.